L	Hits	Search Text	DB	Time stamp
Number				_
-	0	(error adj2 proof\$3) same (server\$1 and database and client\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/07 14:50
-	0	(error adj2 proof\$3) same (server\$1 and database and client\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/04/15 10:02
-	3	<pre>(error adj2 proof\$3) same (server\$1 and client\$1)</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/04/15 10:02
-	0	(error adj2 proof\$3) and (server\$1 and database and client\$1 and meta-data)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/04/15 10:02
_	21	(error adj2 proof\$3) and (server\$1 or database or client\$1 or meta-data)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/04/15 10:03
-	0	(error near5 proof\$3) same (server\$1 and database and client\$1 and meta-data)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/04/15 10:16
-	0	(error near5 proof\$3) and (server\$1 and database and client\$1 and meta-data)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/04/15
-	408	error near5 proof\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/04/15 10:17
-	303	error adj5 proof\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/04/15 10:31
_	0	(error adj5 proof\$3) same (server\$1 and database and client\$1 and meta-data)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/04/15 10:30
-	0	(error adj5 proof\$3) and (server\$1 and database and client\$1 and meta-data)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/04/15 10:30
-	0	(error adj10 proof\$3) same (server\$1 and database and client\$1 and meta-data)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/04/15 10:31
-	0	(error adj10 proof\$3) same (server\$1 and database and client\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/04/15 10:31
-	386	error adj10 proof\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/15 10:32

Search History 3/21/03 1:43:39 PM Page 1

		•		
_	28	(error adj2 proof\$3) and document\$1	USPAT; US-PGPUB;	2002/04/15 10:58
			EPO; JPO; DERWENT; IBM TDB	
_	1	client\$1 same server\$1 same database same	USPAT;	2002/04/15
		table\$1 same (GUI or UI or interface) same	US-PGPUB;	11:11
		servlet\$1	EPO; JPO;	
1			DERWENT;	
_	86	help same (web or http or www or on-line)	IBM_TDB USPAT;	2002/04/15
		same error	US-PGPUB;	16:10
			EPO; JPO;	
			DERWENT;	
_	581	on-line near5 help	IBM_TDB USPAT;	2002/04/15
	301	on time hears herp	US-PGPUB;	16:12
			EPO; JPO;	
	•		DERWENT;	
1_	24	(on-line near5 help) same famil\$5	IBM_TDB USPAT;	2002/04/15
	24	/ou time means meth) same ramitas	US-PGPUB;	16:11
			EPO; JPO;	
			DERWENT;	
[_	147	holp and familes and failes and	IBM_TDB	2002/04/15
1 -	147	help and famil\$5 and fail\$5 and solution\$1 and website\$1	USPAT; US-PGPUB;	2002/04/15 16:17
ŀ		22722701141 WIND TOCKT	EPO; JPO;	10.17
			DERWENT;	
	100	(h-1m -ma -6-mi) 45 - 0.3 6 i 3 45 - 3	IBM_TDB	2002/04/15
-	103	(help and famil\$5 and fail\$5 and solution\$1 and website\$1) and error\$1	USPAT; US-PGPUB;	2002/04/15
			EPO; JPO;	10.10
			DERWENT;	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM_TDB	
-	97	((help and famil\$5 and fail\$5 and solution\$1 and website\$1) and error\$1)	USPAT; US-PGPUB;	2002/04/15 16:18
		and table\$1	EPO; JPO;	10.10
			DERWENT;	
		////	IBM_TDB	0000/64/15
-	82	(((help and famil\$5 and fail\$5 and solution\$1 and website\$1) and error\$1)	USPAT; US-PGPUB;	2002/04/15
		and table\$1) and database	EPO; JPO;	10.10
-			DERWENT;	
		////>-1	IBM_TDB	0000/04/55
_	68	<pre>((((help and famil\$5 and fail\$5 and solution\$1 and website\$1) and error\$1)</pre>	USPAT; US-PGPUB;	2002/04/15 16:19
		and table\$1) and database) and client	EPO; JPO;	10.17
		,	DERWENT;	
		halm add database	IBM_TDB	2002/04/25
-	53	help adj database	USPAT; US-PGPUB;	2002/04/15
			EPO; JPO;	
			DERWENT;	
1_	2	(orror adi3 proof(4) (4-1-41-41-41-41-41-41-41-41-41-41-41-41-	IBM_TDB	2002/04/16
-	3	(error adj3 proof\$4) same (table\$1 or database)	USPAT; US-PGPUB;	2002/04/16
		·····	EPO; JPO;	
			DERWENT;	
	5675	(troubleshoot\$5 or (help near3 desk))	IBM_TDB	2002/00/26
-	30/3	(croantesucocés of (uetb uears desk))	USPAT; US-PGPUB;	2002/09/26 15:58
			EPO; JPO;	
			DERWENT;	
	202	//tmoublockerter /b-l	IBM_TDB	2002/00/27
	292	((troubleshoot\$5 or (help near3 desk))) same database	USPAT; US-PGPUB;	2002/09/27
			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	1

	PAT; 2002/09/26
meta-data) EPC	-PGPUB; 16:00 D; JPO; RWENT;
IBM	M_TDB
same database) and (table\$1 same US-meta-data) EPC	PAT; 2002/09/26 -PGPUB; 16:01 D; JPO; RWENT;
- 170 (((troubleshoot\$5 or (help near3 desk))) USF same database) and (table\$1) USF EPC DER	1_TDB PAT; 2002/09/26 -PGPUB; 16:01 D; JPO; RWENT;
- 67 ((((troubleshoot\$5 or (help near3 desk))) USP same database) and (table\$1)) and US- (client\$1 same server\$1) EPC DER	1 TDB PAT; 2002/09/26 -PGPUB; 16:01 0; JPO; RWENT;
- 63 ((troubleshoot\$5 or (help near3 desk))) USP near5 database EPC DER	1_TDB PAT; 2002/09/27 -PGPUB; 09:46 0; JPO; RWENT;
- 16 (((troubleshoot\$5 or (help near3 desk))) USP near5 database) and (database near5 US-table\$1) EPC DER	1_TDB PAT; 2002/09/27 -PGPUB; 09:43 0; JPO; RWENT;
- 15 (((troubleshoot\$5 or (help near3 desk))) USP near5 database) and (database near5 US-structure\$1) EPC DER	1_TDB PAT; 2002/09/27 -PGPUB; 09:43 D; JPO; RWENT;
- 917 (troubleshoot\$5 or help\$4) near5 database USP US- EPC DER	1_TDB PAT; 2002/09/27 -PGPUB; 09:58 0; JPO; RWENT;
- 146 ((troubleshoot\$5 or help\$4) near5 USP database) and (table\$1 near5 structure\$1) US-EPO DER	1_TDB PAT; 2002/09/27 -PGPUB; 10:00 0; JPO; RWENT; 1_TDB
- 0 ((((troubleshoot\$5 or help\$4) near5 USP database) and (table\$1 near5 US-structure\$1)) and (solution\$1 or priciple\$1 or strateg\$4)) and (server\$1 DER	2002/09/27 PGPUB; 2002/09/27 0; JPO; WWENT; 1 TDB
- 86 (((troubleshoot\$5 or help\$4) near5 USP database) and (table\$1 near5 US-structure\$1)) and (solution\$1 or priciple\$1 or strateg\$4)	2002/09/27 PGPUB; 10:02 D; JPO; RWENT; 1 TDB
- ° 161 troubleshoot\$5 near5 help\$3 USP US- EPO DER	2002/10/02 -PGPUB; 09:36 0; JPO; RWENT;
- 66 (troubleshoot\$5 near5 help\$3) and USP US-EPO DER	PAT; 2002/10/02 -PGPUB; 09:36 0; JPO; RWENT;
- 279 error adj2 proof\$3 USP US- EPO DER	1_TDB PAT; 2003/03/07 PGPUB; 15:22 0; JPO; WWENT;
LIBM	1 TDB

		•		
_	0	(error adj2 proof\$3) and (server\$1 same database same client\$1 same meta-data)	USPAT; US-PGPUB; EPO; JPO;	2003/03/07 14:52
			DERWENT; IBM_TDB	
-	2	<pre>(error adj2 proof\$3) and (server\$1 same database\$1 same client\$1)</pre>	USPAT; US-PGPUB; EPO; JPO;	2003/03/07
-	5	<pre>(error adj2 proof\$3) and (server\$1 and database\$1 and client\$1)</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/03/07 15:19
			EPO; JPO; DERWENT; IBM_TDB	
-	1	error adj2 proof\$3 adj5 document\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/07 15:23
-	6	error near5 proof\$3 near5 document\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/03/07 15:32
-	51099	client\$1 same server\$1 servlet\$1 same database\$1	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/03/11 08:36
_	98	(client\$1 same server\$1 servlet\$1 same database\$1) and (table\$4 same meta-data)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/03/11 08:37
			EPO; JPO; DERWENT; IBM_TDB	
_	14	<pre>((client\$1 same server\$1 servlet\$1 same database\$1) and (table\$4 same meta-data)) and (table\$1 near5 (error\$1 or correct\$4 or proof\$4))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 08:07
-	182	client\$1 same server\$1 same servlet\$1 same database\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/11 08:37
_	0	(client\$1 same server\$1 same servlet\$1 same database\$1) and (table\$4 same meta-data)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/11 08:57
_	196	client\$1 same servlet\$1 same database\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/11 08:40
-	0	(client\$1 same servlet\$1 same database\$1) and (table\$4 same meta-data)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/03/11 08:38
_	8	error\$4 near5 proof\$4 near5 exampl\$4	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/03/11 08:43
-	4	(client\$1 same server\$1 same servlet\$1	EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/03/11
		same database\$1) and (table\$4 and meta-data)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	09:01

		—		
-	547	java adj2 servlet\$1	USPAT; US-PGPUB; EPO; JPO;	2003/03/11 09:06
	427	(java adj2 servlet\$1) and (client\$1 same	DERWENT; IBM_TDB USPAT;	2003/03/11
	427	server\$1)	US-PGPUB; EPO; JPO; DERWENT;	09:02
-	3	((java adj2 servlet\$1) and (client\$1 same server\$1)) and (table\$1 same meta-data)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/11 09:06
-	14	((java adj2 servlet\$1) and (client\$1 same server\$1)) and (table\$1 and meta-data)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/11
-	673	java near3 servlet\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/11 09:06
-	5	(java near3 servlet\$1) and (table\$1 same meta-data)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/11 09:07
-	. 27	(java near3 servlet\$1) and (table\$1 and meta-data)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/11 09:15
-	2130	forum\$1 and error\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/11 09:18
-	86	forum\$1 same error\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/11 09:18
-	12	forum\$1 same error\$4 same correct\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 09:20
-	271	internet near5 forum\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 09:20
-	o	(internet near5 forum\$1) and (error\$4 near5 (solution\$1 or solv\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 09:23
-	129	<pre>(internet near5 forum\$1) and ((solution\$1 or solv\$4))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 09:23
-	4	(internet near5 forum\$1) and (error\$4 same (solution\$1 or solv\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 09:26

		——————————————————————————————————————		
_	11020	information near5 error near5 (solution\$4 or solv\$4 or correct\$4)	USPAT; US-PGPUB; EPO; JPO;	2003/03/11 09:27
	136	(information near5 error near5	DERWENT; IBM_TDB USPAT;	2003/03/11
-	136	(solution\$4 or solv\$4 or correct\$4)) and (internet same database\$1)	US-PGPUB; EPO; JPO; DERWENT;	09:28
-	5	<pre>(information near5 error near5 (solution\$4 or solv\$4 or correct\$4)) and (internet same database\$1 same table\$4)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 09:35
_	2	6122403.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 09:39
-	4	troubleshoot\$4 near5 information near5 internet	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/11 09:40
-	473	troubleshoot\$4 near5 information	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/11
_	414	troubleshoot\$4 near4 information	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/11 09:41
_	9	(troubleshoot\$4 near4 information) and (error\$1 near5 (proof\$4 or solution\$1))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/11
_	45	(troubleshoot\$4 near4 information) same (error\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/11 09:44
_	0	6292827.pn. and (access\$4 near5 database\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/19 09:41
-	1	6292827.pn. and (search\$4 near5 database\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/19 09:55
-	1	6292827.pn. and (database\$1 near7 table\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/03/19 10:08
-	1	6292827.pn. and ((modif\$4 or chang\$4 or defin\$4) near7 database\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/19 10:10
-	1	6292827.pn. and (user\$4 near 6292827.PN. defin\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/19 10:11

_	0	6292827.pn. and	(user\$1	near7	defin\$4)	USPAT;	2003/03/19
						US-PGPUB;	10:11
						EPO; JPO;	
						DERWENT;	
						IBM_TDB	
-	1	6292827.pn. and	(user\$1	same (defin\$4)	USPAT;	2003/03/19
		_				US-PGPUB;	10:11
						EPO; JPO;	
						DERWENT;	
						IBM TDB	